


amazonbasics



**12-Foot Long Lashing Strap**

**Sangle d'Amarrage, Longueur : 12 Pi (3,65 m)**

**Correas de Amarre de 12 Pies (3.65 m) de Largo**

**B07ZL1RPHP / B07ZKZZNWM / B07ZKZTF7P / B07ZL115BP**

English .....	3
Français .....	6
Español .....	9



# IMPORTANT SAFEGUARDS



Read these instructions carefully and retain them for future use. If this product is passed to a third party, then these instructions must be included.

When using the product, basic safety precautions should always be followed to reduce the risk of injury including the following:


**⚠ DANGER Risk of suffocation!** Keep any packaging materials away from children – these materials are a potential source of danger, e.g. suffocation.

**⚠ WARNING Risk of injury or death!** Failure to comply with these safety instructions may result in personal injury, death or loss/damage of load.

- Use this product in accordance with local, state, provincial, federal, and industry regulations.
- This product is intended to safely anchor and secure loads.
- Do not use this product to lift or hoist loads, pull or tow vehicles.
- Never exceed working load limit (WLL) rating.
- Inspect the product before each use. Do not use the product with cuts, abrasions, knots, degraded or damaged parts.
- Keep the product away from sharp edges, protrusions, chemicals, abrasive or hot surfaces. Use corner pads (not provided) to protect the product from sharp edges.
- Always choose suitable lashing straps, lashing points and lashing methods. The size, type, shape and weight of the cargo as well as the intended use, the transport environment determine the correct choice.
- Check that the vehicle parts you plan to strap the load to are sturdy enough.
- Make sure that the product is not twisted and that the load is distributed across its entire width.
- When use with vehicles, check the product after the first 10 miles (16 km) and whenever the vehicle is stopped and left unattended.
- Before opening, make sure that the cargo is stable even without being secured and does not endanger unloading personnel by falling down.



## Use



## Cleaning and Maintenance

- This product may be subjected to dirt, mud, snow, ice, road salt, cleaning solution, etc., and therefore require inspection and cleaning after each use.
- To clean the product, hose with clean and cool water, and let the product dry before storing. Do not machine wash.
- Store the product indoors away from direct sunlight.

## Specifications

Dimensions (W x L):	approx. 1 x 144" (2.54 x 366 cm)
Net weight:	approx. 0.26 lbs (118 g)
Working load limit:	approx. 333 lbs (151 kg)
<b>Material:</b>	
Webbing:	100% Polyester
Hardware:	100% Zinc



## Feedback and Help

Love it? Hate it? Let us know with a customer review.

AmazonBasics is committed to delivering customer-driven products that live up to your high standards. We encourage you to write a review sharing your experiences with the product.



 [amazon.com/review/review-your-purchases#](https://amazon.com/review/review-your-purchases#)

 [amazon.com/gp/help/customer/contact-us](https://amazon.com/gp/help/customer/contact-us)

**amazonbasics**

[amazon.com/AmazonBasics](https://amazon.com/AmazonBasics)

MADE IN TAIWAN  
HECHO EN TAIWÁN  
FABRIQUÉ EN TAIWÁN

V01-01/20